	IEALTH FLAMMABILIT PHYSICAL PPE	2	Instability 1 1 1 1 1 1 1 1 1 1 1 1 1	Printed: 03/13/2012 Revision: 03/13/2012
1. Pro	duct and	Company	/ Identification	
Product Code:	00026			
Product Name:	Kleenall			
Manufacturer Information				
Company Name:	Skyrex Inc.			
	109 Aldene R	oad		
	Roselle, NJ ()7203		
Emergency Contact:	ChemTel		(800)255-3924	
Intended Use:	Alkaline Degr	easer		
	2. Hazar	ds Identif	fication	
GHS Classification				
GHS Classification	Placard	Key word	GHS Hazard	
Skin Corrosion/Irritation, Category 1C	Corrosive	Danger	Causes severe skin burns and	l eye damage
Serious Eye Damage/Eye Irritation, Category 2A	Exclamation point	Warning	Causes serious eye irritation	
Target Organ Systemic Toxicity (single exposure), Category 3	Exclamation point	Warning	May cause respiratory irritatio and dizziness	n,or may cause drowsiness
GHS Hazard Phrases				

GHS Hazard Phrases

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H335 - May cause respiratory irritation. H336 - May cause drowsiness or dizziness. H316 - Causes mild skin irritation. H314 - Causes severe skin burns and eye damage.

GHS Precaution Phrases

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands thoroughly after handling. P280 - Wear protective gloves/clothing and eye/face protection as specified by the manufacturer/supplier or the competent authority. P271 - Use only outdoors or in a well-ventilated area. P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

GHS Response Phrases

P302+352 - IF ON SKIN: Wash with plenty of soap and water. P321 - Specific treatment (see ... on this label) ... reference to supplemental first aid instruction - if immediate administration of antidote is required. P332+313 - If skin irritation occurs, get medical advice/attention. P362 - Take off contaminated clothing and wash before re-use. P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+313 - If eye irritation persists, get medical advice/attention. P309+311 - Call a POISON CENTER or doctor/physician if exposed or you feel unwell. P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P363 - Wash contaminated clothing before reuse. P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P310 - Immediately call a POISON CENTER or doctor/physician.

Page:

1

GHS Storage and Disposal Phrases

P405 - Store locked up. P403+233 - Store container tightly closed in well-ventilated place - if product is as volatile as to generate hazardous atmosphere. P501 - Dispose of contents/container to ... (in accordance with local/regional/national/international regulation).

Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes

Potential Health Effects (Acute and Chronic)

ROUTE OF EXPOSURE:

Eye Contact: Causes severe eye burns. May cause irreversible eye injury. Contact may cause ulceration of the conjunctiva and cornea. Eye damage may be delayed. May cause chemical conjunctivitis and corneal damage. Prolonged or repeated eye contact may cause conjunctivitis.

Skin: Causes skin irritation. Skin sensitization testing with human volunteers produced negative results. Skin Contact: May cause deep, penetrating ulcers of the skin. May cause skin rash (in milder cases), and cold and clammy skin with cyanosis or pale color. Prolonged or repeated skin contact may cause dermatitis.

Ingestion: Harmful if swallowed. May cause gastrointestinal irritation with nausea, vomiting and diarrhea. May cause severe and permanent damage to the digestive tract. May cause systemic effects.

Causes symptoms similar to those of inhalation. Inhalation: May cause lung damage. Causes severe irritation of upper respiratory tract with coughing, burns, breathing difficulty, and possible coma.

Effects may be delayed.

Inhalation

May be harmful if inhaled. Causes respiratory tract irritation.

Skin Contact

May be harmful if absorbed through the skin. Causes skin irritation.

Eye Contact

Causes eye irritation.

Ingestion

May be harmful if swallowed.

LD 50 / LC 50

Ingredient CAS# 111-76-2, Ethanol, 2-Butoxy-:

Humans are less susceptible than rodents to 2-butoxyethanol exposure. 2-Butoxyethanol gives toxic results when tested on rabbits and rats. It does not behave the same when humans are exposed to it. This is explained by the different makeup of the red blood cells of test animals vs. humans. Test animal red blood cells are hypersensitive to 2-butoxyethanol when compared to humans.

OSHA Regulatory Status:

This material is classified as hazardous under OSHA regulations.

3. Composition/Information on Ingredients

Hazardous Components (Chemical Name)

1. Ethanol, 2-Butoxy-

CAS # Concentration 111-76-2 5.0 - 10 %

На	zardous Components (Chemical Name)	CAS #	Concentration
2.	Sodium xylenesulfonate	1300-72-7	~5.0 %
3.	Poly(oxy-1,2-ethanediyl),	9016-45-9	~5.0 %
	.alpha(nonylphenyl)omegahydr		
4.	Sodium silicate	13870-28-5	~5.0 %
5.	Potassium hydroxide	1310-58-3	~5.0 %
6.	Sodium phosphate, Tribasic	7758-29-4	<5.0 %

4. First Aid Measures

Emergency and First Aid Procedures

Eyes: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

Skin: Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.

Ingestion: Call a poison control center. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Never give anything by mouth to an unconscious person. If conscious and alert, rinse mouth and drink 2-4 cupfuls of milk or water.

Inhalation: Remove from exposure and move to fresh air immediately. If breathing has ceased apply artificial respiration using oxygen and a suitable mechanical device such as a bag and a mask.

In Case of Inhalation

If breathed in, move person into fresh air. If not breathing give artificial respiration.

In Case of Skin Contact

Wash off with soap and plenty of water. Consult a physician.

In Case of Eye Contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

In Case of Ingestion

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Note to Physician

Treat symptomatically and supportively. Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

Signs and Symptoms Of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Exposure can cause: Nausea, headache, and vomiting.

	5. Fire Fighting Measu	ires
Flash Pt:	NE Method Used: Estimate	
Explosive Limits:	LEL:	UEL:
Autoignition Pt:	NE	

Fire Fighting Instructions

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Will burn if involved in a fire. Combustible liquid and vapor. Wear self contained breathing apparatus for fire fighting if necessary. Protective Equipment: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Specific Hazard(s): During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Water reactive. Material will react with water and may release a flammable and/or toxic gas. Wear appropriate protective clothing to prevent

contact with skin and eyes. Wear a self-contained breathing apparatus (SCBA) to prevent contact with thermal decomposition products. Use water with caution and in flooding amounts. Contact with moisture or water may generate sufficient heat to ignite nearby combustible materials. May ignite or explode on contact with steam or moist air.

Flammable Properties and Hazards

Suitable Extinguishing Media

Suitable: Use extinguishing media appropriate to surrounding fire conditions. Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Unsuitable Extinguishing Media

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled

Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Wear a self contained breathing apparatus and appropriate personal protection. (See Exposure Controls, Personal Protection section). Do not let this chemical enter the environment. Personal precautions.

Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation. Environmental precautions.

Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

PROCEDURE(S) OF PERSONAL PRECAUTION(S)

Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves.

Methods for cleaning up.

Absorb on sand or vermiculite and place in closed containers for disposal. Ventilate area and wash spill site after material pickup is complete. Vacuum or sweep up material and place into a suitable disposal container. Clean up spills immediately, observing precautions in the Protective Equipment section. Avoid generating dusty conditions. Do not expose spill to water.

7. Handling and Storage

Precautions To Be Taken in Handling

Do not get in eyes, on skin, or on clothing. Do not ingest or inhale. Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection. User Exposure: Do not breathe vapor. Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Do not breathe dust, mist, or vapor. Keep container tightly closed. Discard contaminated shoes. Keep from contact with moist air and steam. Minimize dust generation and accumulation. Avoid ingestion and inhalation. Use with adequate ventilation.

Precautions To Be Taken in Storing

Store in a cool, dry place. Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place. Suitable: Keep container closed when not in use. Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances. Corrosives area. Store protected from moisture.

8. Exposure Controls/Personal Protection				
Hazardous Components (Chemical Name)	CAS #	OSHA PEL	ACGIH TWA	Other Limits
1. Ethanol, 2-Butoxy-	111-76-2	PEL: 50 ppm	TLV: 20 ppm	
2. Sodium xylenesulfonate	1300-72-7			

На	zardous Components (Chemical Name)	CAS #	OSHA PEL	ACGIH TWA	Other Limits
3.	Poly(oxy-1,2-ethanediyl),	9016-45-9			
	.alpha(nonylphenyl)omegahydr				
4.	Sodium silicate	13870-28-5			
5.	Potassium hydroxide	1310-58-3		CEIL: 2 mg/m3	
6.	Sodium phosphate, Tribasic	7758-29-4			

Respiratory Equipment (Specify Type)

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Where risk assessment shows air-purifying respirators are appropriate use a dust mask type N95 (US) or type P1 (EN 143) respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi- purpose combination (US) or type ABEK (EN {14387}) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Hand: Compatible chemical-resistant gloves. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use.

Eye Protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Safety glasses with side-shields conforming to EN166. Chemical safety goggles.

Protective Gloves

Wear appropriate protective gloves to prevent skin exposure. Handle with gloves.

Other Protective Clothing

Wear appropriate protective clothing to prevent skin exposure. Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Engineering Controls (Ventilation etc.)

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use only under a chemical fume hood. Mechanical exhaust required. Safety shower and eye bath. Use adequate ventilation to keep airborne concentrations low.

Work/Hygienic/Maintenance Practices

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Wash thoroughly after handling.

9. Physical and Chemical Properties					
Physical States:	[]Gas [X]Liquid []Solid				
Freezing Point:	< 0 C - 0 C				
Boiling Point:	> 100 C - 0 C				
Autoignition Pt:	NE				
Flash Pt:	NE Method Used: Estimate				
Specific Gravity (Water = 1):	1.040				
Vapor Pressure (vs. Air or mm Hg):					
Vapor Density (vs. Air = 1):					
Evaporation Rate:					

misc.

Percent Volatile: ~ 90 % by weight.

pH:

Appearance and Odor

Appearance: Clear. colorless. Liquid. Odor: characteristic odor.

10. Stability and Reactivity

Stability:

Unstable [] Stable [X]

Conditions To Avoid - Instability

Incompatible materials, No data available.

dust generation.

Incompatibility - Materials To Avoid

acids.

Hazardous Decomposition Or Byproducts

Carbon monoxide, formed under fire conditions. Carbon oxides,

Sulphur oxides, Sodium oxides, Oxides of potassium, hydrogen gas. oxides of phosphorus, Carbon dioxide.

Possibility of Hazardous Reactions: Will occur [] Will not occur [X]

13.5

Conditions To Avoid - Hazardous Reactions

11. Toxicological Information

Toxicological Information

Epidemiology: No information found.

Teratogenicity: No information available. Reproductive Effects: Neurotoxicity: Acute toxicity. No data available. Respiratory or skin sensitization: Reproductive toxicity - no data available.

Specific target organ toxicity -single exposure (Globally Harmonized System)

Inhalation: May cause respiratory irritation.

Specific target organ toxicity -repeated exposure (Globally Harmonized System) Aspiration hazard.

Irritation or Corrosion

No data available.

Carcinogenicity/Other Information

California: Not listed.

NTP: Not listed.

IARC: Not listed. Carcinogenicity.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. CAS# 1310-58-3: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 7758-29-4: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

Haz	zardous Components (Chemical Name)	CAS #	NTP	IARC	ACGIH	OSHA
1.	Ethanol, 2-Butoxy-	111-76-2		3	A3	
2.	Sodium xylenesulfonate	1300-72-7				
3.	Poly(oxy-1,2-ethanediyl),	9016-45-9				
	.alpha(nonylphenyl)omegahydr					
4.	Sodium silicate	13870-28-5				
5.	Potassium hydroxide	1310-58-3				
6.	Sodium phosphate, Tribasic	7758-29-4				

12. Ecological Information

General Ecological Information

Ecotoxicity: No data available. 24-Hr. LC50; goldfish: 1650 mg/L 96-Hr. LC50; bluegill sunfish: 1490 mg/L96-Hr. LC50; tidewater silversides: 1250 mg/L

Environmental: TERRESTRIAL FATE: Based on a recommended classification scheme, an estimated Koc value of 67,, determined from an experimental log Kow and a recommended regression-derived equation, indicates that ethylene glycol mono-n-butyl ether is expected to have high mobility in soil. An estimated BCF value of 2.5 was calculated for ethylene glycol mono-n-butyl ether, using an experimental log Kow of 0.83 and a recommended regression-derived equation. According to a recommended classification scheme, this BCF value suggests that bioconcentration in aquatic organisms is low.

Physical: No information found.

Other: An estimated BCF value of 2.5,, from an experimental log Kow, suggests that ethylene glycol mono-n-butyl ether bioconcentration in aquatic organisms will be low, according to a recommended classification scheme. Toxicity: no data available.

PBT and vPvB assessment: no data available.

ACCUMULATION.

Bioaccumulation Potential: No indication of bioaccumulation. ACUTE ECOTOXICITY TESTS. Test Type: EC50 Species: Daphnia magna, Time: 48 h. Value: 12.2 - 17.0 mg/l
Test Type: LC50 Fish, Species: Carassius auratus (Goldfish), Time: 48 h.
Value: 5.4 mg/l
Test Type: LC50 Fish.
Species: Lepomis macrochirus (Bluegill) Time: 96 h.
Value: 1.0 - 9.7 mg/l
Species: Onchorhynchus mykiss (Rainbow trout), Time: 96 h.
Value: 4.1 - 5.3 mg/l
ELIMINATION.
Fish: Mosquito Fish: LC50 = 80.0 mg/L; 24 Hr. Unspecified. No information available.
Physical: No information available.
Other: Do not empty into drains.

Persistence and Degradability

No data available.

Bioaccumulative Potential

No data available.

Mobility in Soil

No data available.

13. Disposal Considerations

Waste Disposal Method

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification. RCRA P-Series: None listed.

RCRA U-Series: None listed. Product.

Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging.

Dispose of as unused product. APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

14. Transport Information

Globally Harmonized System of Classification and Labelling

Skin Corrosion/Irritation, Category 1C - Danger! Causes severe skin burns and eye damage Serious Eye Damage/Eye Irritation, Category 2A - Warning! Causes serious eye irritation Target Organ Systemic Toxicity (single exposure), Category 3 - Warning! May cause respiratory irritation, or may cause drowsiness and dizziness

LAND TRANSPORT (US DOT)

DOT Proper Shipping Name	UN1760 Corrosive liquids n.o.s. (Potassium Hydroxide) 8 PGII.
DOT Hazard Class:	8
DOT Hazard Label:	CORROSIVE
UN/NA Number:	UN1760
Packing Group:	II
LAND TRANSPORT (Canadian TDG)	
TDG Shipping Name	Not Regulated. POTASSIUM HYDROXIDE, SOLID.
AIR TRANSPORT (ICAO/IATA)	
ICAO/IATA Shipping Name	Non-Hazardous for Air Transport: Non-hazardous for air transport.
UN Number:	1760
Hazard Class:	8 - CORROSIVE
Packing Group:	II

15. Regulatory Information

US EPA SARA Title III

На	zardous Components (Chemical Name)	CAS #	Sec.302 (EHS)	Sec.304 RQ	Sec.313 (TRI)	Sec.110
1.	Ethanol, 2-Butoxy-	111-76-2	No	No	Yes-Cat. N230	No
2.	Sodium xylenesulfonate	1300-72-7	No	No	No	No
3.	Poly(oxy-1,2-ethanediyl),	9016-45-9	No	No	No	No
	.alpha(nonylphenyl)omegahydr					
4.	Sodium silicate	13870-28-5	No	No	No	No
5.	Potassium hydroxide	1310-58-3	No	Yes 1000 LB	No	No

Page: 9 Printed: 03/13/2012 Revision: 03/13/2012

Hazardous Components (Chemical Name)	CAS #	Sec.302 (EHS)	Sec.304 RQ	Sec.313 (TRI)	Sec.110
6. Sodium phosphate, Tribasic	7758-29-4	No	Yes 5000 LB	No	No
Other US EPA or State Lists					
Hazardous Components (Chemical Name)	CAS #	CAA HAP,ODC	CWA NPDES	TSCA	CA PROP.65
1. Ethanol, 2-Butoxy-	111-76-2	No	No	Inventory	No
2. Sodium xylenesulfonate	1300-72-7	No	No	Inventory	No
3. Poly(oxy-1,2-ethanediyl),	9016-45-9	No	No	Inventory, 8A PAIR	No
.alpha(nonylphenyl)omegahydr					
4. Sodium silicate	13870-28-5	No	No	Inventory	No
5. Potassium hydroxide	1310-58-3	No	No	Inventory	No
6. Sodium phosphate, Tribasic	7758-29-4	No	No	Inventory	No
Hazardous Components (Chemical Name)	CAS #	CA TAC, Title 8	MA Oil/HazMat	MI CMR, Part 5	NC TAP
1. Ethanol, 2-Butoxy-	111-76-2	TAC, Title 8	Yes	Part 5	No
2. Sodium xylenesulfonate	1300-72-7	No	No	No	No
3. Poly(oxy-1,2-ethanediyl),	9016-45-9	No	No	No	No
.alpha(nonylphenyl)omegahydr					
4. Sodium silicate	13870-28-5	No	No	No	No
5. Potassium hydroxide	1310-58-3		Yes	Part 5	No
6. Sodium phosphate, Tribasic	7758-29-4	Title 8	Yes	Part 5	No
Hazardous Components (Chemical Name)	CAS #	NJ EHS	NY Part 597	PA HSL	SC TAP
1. Ethanol, 2-Butoxy-	111-76-2	Yes - 0275	No	Yes - 1	Yes - Cat.
2. Sodium xylenesulfonate	1300-72-7	No	No	No	No
3. Poly(oxy-1,2-ethanediyl),	9016-45-9	No	No	No	No
.alpha(nonylphenyl)omegahydr					
4. Sodium silicate	13870-28-5	No	No	No	No
5. Potassium hydroxide	1310-58-3	Yes - 1571	Yes	Yes - E	No
6. Sodium phosphate, Tribasic	7758-29-4	No	Yes	Yes - E	No
Hazardous Components (Chemical Name)	CAS #	WI Air			
1. Ethanol, 2-Butoxy-	111-76-2	Yes			
2. Sodium xylenesulfonate	1300-72-7	No			
3. Poly(oxy-1,2-ethanediyl),	9016-45-9	No			
.alpha(nonylphenyl)omegahydr					
4. Sodium silicate	13870-28-5	No			
5. Potassium hydroxide	1310-58-3				
6. Sodium phosphate, Tribasic	7758-29-4	No			
SARA (Superfund Amendments and					
Reauthorization Act of 1986) Lists:					
Sec.302:	EPA SARA Title LB TPQ if not vo		remely Hazardous Ch	emical with TPQ. * in	ndicates 10000
Sec.304:			RCLA Reportable +	Sec.302 with Reportab	le Quantity. **
Sec.313:	indicates statutory RQ. EPA SARA Title III Section 313 Toxic Release Inventory. Note: -Cat indicates a member of a chemical category.				
Sec.110:			rity Contaminant List		
	2111 51101 1101	Superiona Site i Hor			
TSCA (Toxic Substances Control Act) Lists:					
Inventory:	Chemical Listed	in the TSCA Invento	ory.		
5A(2):	Chemical Subject	to Significant New I	Rules (SNURS)		

Page: 10 Printed: 03/13/2012 Revision: 03/13/2012

	6A:	Commercial Chemical Control Rules
	8A:	Toxic Substances Subject To Information Rules on Production
	8A CAIR:	Comprehensive Assessment Information Rules - (CAIR)
	8A PAIR:	Preliminary Assessment Information Rules - (PAIR)
	8C:	Records of Allegations of Significant Adverse Reactions
	8D:	Health and Safety Data Reporting Rules
	8D TERM:	Health and Safety Data Reporting Rule Terminations
	12(b):	Notice of Export
Oth	er Important Lists:	
	CWA NPDES:	EPA Clean Water Act NPDES Permit Chemical
	CAA HAP:	EPA Clean Air Act Hazardous Air Pollutant
	CAA ODC:	EPA Clean Air Act Ozone Depleting Chemical (1=CFC, 2=HCFC)
	CA PROP 65:	California Proposition 65
	CA TAC:	California AB 1807 - Toxic Air Contaminants
	CA Title 8:	California Hazardous Substances List: Title 8, Sec. 339
	MI CMR:	Michigan Critica Materials Register
	MI Part 5:	Michigan DEQ WRP Part 5 Pollutants List
	NC TAP:	North Carolina Toxic Air Pollutants
	NJ EHS:	New Jersey Environmental Hazardous Substances List
	NY Part 597:	New York Part 597 List of Hazardous Substances
	PA HSL:	Pennsylvania Hazardous Substances List
	SC TAP:	South Carolina Toxic Air Pollutants
	WI Air:	Wisconsin Reportable Air Contaminants

International Regulatory Lists:

EPA Hazard Categories:

This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:

[]Yes	[X] No	Acute (immediate) Health Hazard
[]Yes	[X] No	Chronic (delayed) Health Hazard
[]Yes	[X] No	Fire Hazard
[]Yes	[X] No	Sudden Release of Pressure Hazard
[]Yes	[X] No	Reactive Hazard

16. Other Information

Company Policy or Disclaimer

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution.

Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

*NOTE: Hazard Determination System (HDS) rating are based on a 0-4 scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although these ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HDS ratings are to be used with a

fully implemented program to relay the meanings of this scale.